



PARTS EXPRESS

AUGERS

JOHN DEERE

PART NUMBER: WN-AH112435

FEATURES: Auger, Unloader, Horizontal, Inner, 5 1/2', Used with AH143731 (14') to make 20' Auger
APPLICATIONS: CTS, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560STS, 9600, 9610, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9750STS



JOHN DEERE

PART NUMBER: WN-AH123929

FEATURES: Auger, Unloading, Vertical, 63-3/4" Long, Double Flighting
APPLICATIONS: 6620, 6622, 7720, 7721, 8820



JOHN DEERE

PART NUMBER: WN-AH124852

FEATURES: Auger, Unloader, Vertical, 43-3/8" Long, Double Flighting
APPLICATIONS: CTS, CTS II, 9400, 9410, 9540 s/n -695100, 9500, 9500 SIDEHILL, 9501, 9510, 9510SH, 9550 s/n -695700, 9600, 9610, 9650 s/n -695300



JOHN DEERE

PART NUMBER: WN-AH127729


FEATURES: Auger, Grain Tank, Loading, Double LH Flighting, 75.5" Long, 8" OD
APPLICATIONS: 7720, 7721, 7722



JOHN DEERE

PART NUMBER: WN-AH130424


FEATURES: Auger, Shoe Grain Supply, RH, 57 1/2" Long, 1" Tube Diameter, 5" Flighting
APPLICATIONS: CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS



JOHN DEERE

PART NUMBER: WN-AH130425

FEATURES: Auger, Shoe Grain Supply, LH, 57 1/2" Long, 1" Tube Diameter, 5" Flighting
APPLICATIONS: CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9600, 9610, 9650, 9650CTS, 9660, 9660CTS



JOHN DEERE

PART NUMBER: WN-AH136091

FEATURES: Auger, Loading, 50" Long, 7.5" RH Flighting
APPLICATIONS: 9400 s/n -640100, 9500 s/n -640200



JOHN DEERE

PART NUMBER: WN-AH136636


FEATURES: Auger, Loading, 56.5" Long, 9.25" RH Flighting
APPLICATIONS: 9600 s/n 640301-, 9610



JOHN DEERE

PART NUMBER: WN-AH141576


FEATURES: Auger, Clean Grain, Lower
APPLICATIONS: 9600, 9610



JOHN DEERE

PART NUMBER: WN-AH141577


FEATURES: Auger, Clean Grain, Lower, 79-3/8" Long, 8-1/2" RH Flighting
APPLICATIONS: CTS, CTS II, 9400, 9410, 9500, 9500SH, 9510, 9510SH



JOHN DEERE

PART NUMBER: WN-AH143727

FEATURES: Auger, Unloader, Horizontal, 11-1/2', Horizontal, 11-3/4" LH Flighting, 129-1/8" Long
APPLICATIONS: CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9600, 9610, 9650, 9650CTS, 9650STS, 9750STS



JOHN DEERE

PART NUMBER: WN-AH143731

FEATURES: Auger, Unloader, Horizontal, Outer, 14', Used with AH112435 (5-1/2') To Make 20' Auger
APPLICATIONS: CTS, CTS II, 6620, 6622, 7720, 8820, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9600, 9610, 9650, 9650CTS, 9650STS



JOHN DEERE

PART NUMBER: WN-AH146215


FEATURES: Auger, Grain Tank, Loading, Lower Half of Bin Loading Auger, 29-3/4" Long
APPLICATIONS: 9600, 9610



JOHN DEERE

PART NUMBER: WN-AH146313

FEATURES: Auger, Return, Lower, 105-5/8" Long, 5-1/8" LH Flighting
APPLICATIONS: 9600, 9610, 9640, 9650, 9660, 9680



JOHN DEERE

PART NUMBER: WN-AH146553


FEATURES: Auger, Grain Tank, Loading, Upper Half of Bin Loading Auger, 33-1/4" Long
APPLICATIONS: 9600, 9610



JOHN DEERE

PART NUMBER: WN-AH162154

FEATURES: Auger, Clean Grain, Lower, A=82.125", B=1.58", C=1.18", D=0.983"
APPLICATIONS: 9450, 9550, 9550SH, 9560SH, 9650CTS, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS



800-247-1237

PARTS-EXP.COM


*For a complete list of parts visit our website



JOHN DEERE

PART NUMBER: WN-AH127728

FEATURES: Auger, Grain Tank, Loading, 71-7/8" Long, 6-3/4" LH Flighting
APPLICATIONS: 6620, 6622, 7700 s/n 163901-



JOHN DEERE

PART NUMBER: WN-AH203021

FEATURES: Auger, Unloader, Horizontal, A=160-5/8", B=3-1/2", C=1-3/4" Hex, High Output
APPLICATIONS: 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS



JOHN DEERE

PART NUMBER: WN-AH125895

FEATURES: Auger, Return, Upper, 63-1/16" Long, 5" RH Flighting
APPLICATIONS: CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9540, 9550, 9550SH, 9560, 9560SH, 9580, 9650, 9650CTS, 9660CTS, 9780



JOHN DEERE

PART NUMBER: WN-AH202510

FEATURES: Auger, Tailings, Lower
APPLICATIONS: 9560STS, 9570STS



JOHN DEERE

PART NUMBER: WN-AH230013

FEATURES: Auger, Loading, 57.125", 2.25" Shaft Diameter, 11" RH Flighting
APPLICATIONS: 9670STS, 9770STS, 9870STS



JOHN DEERE

PART NUMBER: WN-AH223220

FEATURES: Auger, Grain Tank, Loading, 10" Right Hand Flighting, 51.875" Long, 2.250" Shaft O.D.
APPLICATIONS: 9560STS, 9570STS, S550STS, S650STS



JOHN DEERE

PART NUMBER: WN-AH202959

FEATURES: Auger, Unloader, Horizontal, Rear, A= 112.50, B= 1.375", C= 1.375", D= 2.5"
APPLICATIONS: S690, 9860STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS



JOHN DEERE

PART NUMBER: WN-AH173593

FEATURES: Auger, Unloader, Horizontal, Outer 18.5"
APPLICATIONS: 9560, 9560SH, 9560STS, 9570STS, S550STS, 9660, 9660CTS



JOHN DEERE

PART NUMBER: WN-AH169061

FEATURES: Auger, Unloader, Horizontal
APPLICATIONS: 9650STS s/n 690501-, 9660STS, 9750STS s/n 690601-, 9760STS



JOHN DEERE

PART NUMBER: WN-AH164070

FEATURES: Auger, Unloading, Vertical, Heavy Duty Extended Wear
APPLICATIONS: 9650STS, 9750STS, 9660STS, 9760STS, 9670STS, 9770STS, S660STS



JOHN DEERE

PART NUMBER: WN-AH146554

FEATURES: Auger, Loading, Upper Half of Bin Loading Auger, 28-1/8" Long
APPLICATIONS: 9500, 9510, 9400, CTS, 9410, 9500SH, 9510SH, CTSII



JOHN DEERE

PART NUMBER: WN-AH146214

FEATURES: Auger, Loading, Lower Half of Bin Loading Auger, 28-1/8" Long
APPLICATIONS: 9500, 9510, 9400, CTS, 9410, 9510SH, CTSII



JOHN DEERE

PART NUMBER: WN-AH218246

FEATURES: Auger, Clean Grain, Lower, High Wear
APPLICATIONS: 9560STS, 9570STS



JOHN DEERE

PART NUMBER: WN-AH201797


FEATURES: Auger, Unloader, Horizontal, A=95.06", B=2.875", C=15.25" LH Flighting, High Output
APPLICATIONS: 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS



JOHN DEERE

PART NUMBER: WN-AH146787


FEATURES: Auger, Shoe, Grain Supply, 40-3/4" Long, Right Hand
APPLICATIONS: 9560STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS



JOHN DEERE

PART NUMBER: WN-AH146786

FEATURES: Auger, Shoe, Grain Supply, 40-3/4" Long, Left Hand
APPLICATIONS: 9560STS, 9650STS, 9660STS, 9750STS, 9760STS, 9860STS







Quality Parts When YOU Need Them

800-247-1237

PARTS-EXP.COM

*For a complete list of parts visit our website

**JOHN DEERE****PART NUMBER:** WN-AH218485**FEATURES:** Auger, Loading, 57-1/8" Long, 2.25" Shaft Dia., 10" RH Flighting
APPLICATIONS: 9450, 9550, 9550SH, 9560, 9560SH, 9650, 9650CTS, 9650STS, 9660, 9660CTS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS**JOHN DEERE****PART NUMBER:** WN-AH202881**FEATURES:** Auger, Unloader, Horizontal, Rear, Rear, Cross, 123-1/8" Long, Right Hand, 7-1/2" Flighting
APPLICATIONS: 9600, 9610, 9650, 9660**JOHN DEERE****PART NUMBER:** WN-AH136635**FEATURES:** Auger, Loading, 50.5", 8.25" OD
APPLICATIONS: CTS, CTS II, 9400 s/n 640101-, 9410, 9500 s/n 640201-, 9500SH, 9510, 9510SH**JOHN DEERE****PART NUMBER:** WN-AH201743**FEATURES:** Auger, Unloader, Horizontal, Rear, Grain Tank Cross Auger, 112.312" Long, RH
APPLICATIONS: CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS**JOHN DEERE****PART NUMBER:** WN-AH173595**FEATURES:** Auger, Unloader, Horizontal, 156" Long, 3.5" Dia., 1.25" Hex Shaft, 11.75" LH Fl, Outer
APPLICATIONS: 9560, 9560SH, 9560STS, 9570STS, 9660, 9660CTS, 9660STS, 9760STS, 9770STS**JOHN DEERE****PART NUMBER:** WN-AH202956**FEATURES:** Auger, Unloading, Vertical, A=31-5/8", B=4-1/2", .160" Flighting
APPLICATIONS: (9660STS, 9670STS, 9760STS, 9770STS, OPTIONAL - High Unload Rate 15.75" Diameter), 9860STS, 9870STS**CASE-IH****PART NUMBER:** WN-1317409C1**FEATURES:** Auger, Clean Grain, Lower, 76" Long, 8" RH Flighting
APPLICATIONS: 1680, 1682, 1688**CASE-IH****PART NUMBER:** WN-1347389C1**FEATURES:** Auger, Unloading, Vertical, 49-3/4" Long, 11-3/4" RH Flighting, 3" Shaft Diameter
APPLICATIONS: 1640 s/n JJC0097103-, 1644, 1660 s/n JJC0102897-, 1666, 1680 s/n JJC0115352-, 1688, 2144, 2166, 2188, 2344, 2366, 2388**JOHN DEERE****PART NUMBER:** WN-AH202958**FEATURES:** Auger, Unloader, Horizontal, Front, A= 112.50", B= 1.375", C= 1.375", D= 2.5", 9.5" RH Flighting
APPLICATIONS: S690, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS**JOHN DEERE****PART NUMBER:** WN-AH171550**FEATURES:** Auger, Unloading, Vertical, 13" LH Flighting, 39-3/4" Long, 4-1/2" Diameter Tube
APPLICATIONS: 9450 s/n 695101-, 9550 s/n 695201-, 9550SH s/n 695701-, 9560, 9560SH, 9650 s/n 695301-, 9650CTS s/n 695401-, 9660, 9660CTS**JOHN DEERE****PART NUMBER:** WN-AH202959**FEATURES:** Auger, Unloader, Horizontal, Rear, A= 112.50, B= 1.375", C= 1.375", D= 2.5"
APPLICATIONS: S690, 9860STS, 9660STS, 9670STS, 9760STS, 9770STS, 9860STS, 9870STS**JOHN DEERE****PART NUMBER:** WN-AH201744**FEATURES:** Auger, Unloader, Horizontal, Front, Grain Tank Cross Auger, 112.312" Long, LH
APPLICATIONS: CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560STS, 9570STS, 9650CTS, 9650STS, 9660CTS**JOHN DEERE****PART NUMBER:** WN-AH202875**FEATURES:** Auger, Unloader, Horizontal, Front, Front, Cross, 123-1/8" Long, LH, 7-1/2" Flighting
APPLICATIONS: 9600, 9610, 9650, 9660**CASE-IH****PART NUMBER:** WN-87617556**FEATURES:** Auger, Unloader, Horizontal, Bottom Cross Auger
APPLICATIONS: 1440, 1460, 1470, 1480, 1482, 1640, 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2577, 2588**CASE-IH****PART NUMBER:** WN-1317484C2**FEATURES:** Auger, Clean Grain, Lower, 68.75" Long, 7" RH Flighting, 1.25" Shaft Diameter
APPLICATIONS: 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366**CASE-IH****PART NUMBER:** WN-87653248**FEATURES:** Auger, Clean Grain, Lower, 76-3/8" Long
APPLICATIONS: 2188, 2388 Standard on s/n -JJC0274396 & JJC0267150-**Quality Parts When YOU Need Them**


800-247-1237

PARTS-EXP.COM


*For a complete list of parts visit our website




CASE-IH **PART NUMBER: WN-87379140**
FEATURES: Auger, Return, Upper, 37-5/8" Long, 5" LH Flighting
APPLICATIONS: 1480, 1482, 1680, 1682, 1688, 2188, 2388, 2577, 2588




CASE-IH **PART NUMBER: WN-193225C1**
FEATURES: Auger, Return, Upper, 25-5/8" Long, 5" LH Flighting
APPLICATIONS: 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670, 2144, 2166, 2344, 2366




CASE-IH **PART NUMBER: WN-199023A1**
FEATURES: Auger, Unloading, Horizontal, 125-1/4" Long, Outer, Split, Hex Shaft Drive, 208" Total
APPLICATIONS: 1644, 1660, 1666, 1670, 1680, 1682, 1688, 2144, 2166, 2188, 2344, 2366, 2388




CASE-IH **PART NUMBER: WN-249279A1**
FEATURES: Auger, Clean Grain, Heavy Duty Extended Wear, 76.5" Long
APPLICATIONS: 2188, 2377 s/n HAJ0292001-HAJ03000000, 2388
 Optional on s/n -JJC0274396 Standard on s/n JJC0274450-, 2577, 2588




CASE-IH **PART NUMBER: WN-87325666**
FEATURES: Auger, Unloading, Vertical, 6 & 19 Spline, 11-3/4" RH HD Flighting, 49.75" Long, 3" Tube
APPLICATIONS: 1640 s/n JJC0097103-, 1644, 1660 s/n JJC0102897-, 1666, 1680 s/n JJC0115352-, 1688, 2144, 2166, 2188, 2344, 2366, 2388, 2577, 2588




CASE-IH **PART NUMBER: WN-191734C1**
FEATURES: Auger, Return, Lower, 62.5" Long
APPLICATIONS: 1440, 1460, 1470, 1640, 1644, 1660, 1666, 1670




CASE-IH **PART NUMBER: WN-1308541C1**
FEATURES: Auger, Shoe Supply, 78-1/4" Length, 7/8" hex Shaft, Right hand Flighting
APPLICATIONS: 2388, 2366, 2344, 2188, 2166, 2144, 1688, 1666, 1660, 1644, 1640, 1620, 1480, 1470, 1460, 1440, 1420




CASE-IH **PART NUMBER: WN-192835C1**
FEATURES: Auger, Unloading, Vertical, 49-1/4", 1-1/2" Square Bottom Hub, 1-3/8" Round Top Hub
APPLICATIONS: 1440, 1460, 1470, 1480, 1482, 1640 s/n -JJC0097103, 1660 s/n -JJC0102897, 1670, 1680 s/n -JJC0115352, 1682




CASE-IH **PART NUMBER: WN-198987A1**
FEATURES: Auger, Unloader, Horizontal, 90 3/8" Long, Inner Split, Splined Drive End
APPLICATIONS: 1644, 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388




CASE-IH **PART NUMBER: WN-249275A1**
FEATURES: Auger, Loading, A=47.375", B=1.375", C=1", D=1.375", E=10" LH Flighting
APPLICATIONS: 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588




CASE-IH **PART NUMBER: WN-320724A3**
FEATURES: Auger, Grain Delivery, 47.25", Inclined, Stainless Steel, Split Flight for Monitor
APPLICATIONS: 1644, 1666, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, All w/ Advanced Farming System (AFS)



CASE-IH **PART NUMBER: WN-87347842**
FEATURES: Auger, Loading, Stainless Steel, A=47.375", B=1.87", C=1"
APPLICATIONS: 1660, 1666, 1680, 1688, 2144, 2166, 2188, 2344, 2366, 2377, 2388, 2577, 2588



CASE-IH **PART NUMBER: WN-144028A2**
FEATURES: Auger, Tailing, Lower, 85.69" Long, 1-1/4" Shaft, 5" RH Flighting
APPLICATIONS: 2188, 2377, 2388, 2577, 2588, 7088



CASE-IH **PART NUMBER: WN-84577410**
FEATURES: Auger, Loading, Inclined Delivery
APPLICATIONS: 5088, 5130, 6088, 6130, 7088, 7130

