



**CASE-IH**  
**PART NUMBER:** WN-1322464C6  
**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1 1/8" Spacing, 60.75" x 65", Extended Length  
**APPLICATIONS:** 1680, 1682, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088



**CASE-IH**  
**PART NUMBER:** WN-1330689C3  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 60" x 61.75"  
**APPLICATIONS:** 1480, 1482, 1680 s/n -47411, 1682



**CASE-IH**  
**PART NUMBER:** WN-1347372C7  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Petersen Air Foil, 60" x 74.88", Extended Length  
**APPLICATIONS:** 1680 s/n 47412-, 1688, 2188, 2388



**INTERNATIONAL**  
**PART NUMBER:** WN-1325323C5  
**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Spacing, 45.20" x 65", Extended Length  
**APPLICATIONS:** 1644, 1666, 2144, 2166, 2344, 2366



**INTERNATIONAL**  
**PART NUMBER:** WN-1330687C3  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 60" x 61.75"  
**APPLICATIONS:** 1480, 1482, 1680, 1682



**INTERNATIONAL**  
**PART NUMBER:** WN-1957314C7  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 45" x 74.88"  
**APPLICATIONS:** 1640, 1644, 1660, 1666, 2144, 2166, 2344, 2366 Extended



**JOHN DEERE**  
**PART NUMBER:** WN-AH106770  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 52.87" x 60.91"  
**APPLICATIONS:** 7700, 7701, 7720 s/n -610500, 7721 s/n -610600, 7722 s/n -610500



**JOHN DEERE**  
**PART NUMBER:** WN-AH130160  
**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Spacing  
**APPLICATIONS:** CTS, CTS II, 9400, 9410, 9450, 9500, 9510, 9550, 9560, 9660CTS



**CASE-IH**  
**PART NUMBER:** WN-1330686C1  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 45" x 61.75"  
**APPLICATIONS:** 1440, 1460, 1470, 1640, 1660, 914 Late, 915 s/n 8001-



**CASE-IH**  
**PART NUMBER:** WN-1346914C2  
**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Wire Spacing, 45.2" x 51.5"  
**APPLICATIONS:** 1440, 1460, 1470, 1640, 1660, 914 Late, 915 s/n 8001-



**INTERNATIONAL**  
**PART NUMBER:** WN-1322467C5  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Spacing, 60" x 74.88", Extended Length  
**APPLICATIONS:** 1680, 1682, 1688, 2188, 2388, 2577, 2588, 5088, 6088, 7088



**INTERNATIONAL**  
**PART NUMBER:** WN-1330684C2  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 45" x 61.75"  
**APPLICATIONS:** 1440, 1460, 1470, 1640, 1660



**INTERNATIONAL**  
**PART NUMBER:** WN-1346915C3  
**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Wire Spacing, 60.2" x 51.55"  
**APPLICATIONS:** 1480, 1482, 1680 s/n -47411, 1682



**INTERNATIONAL**  
**PART NUMBER:** WN-1957316C7  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Spacing, 45" x 74.88", Extended Length  
**APPLICATIONS:** 1644, 1666, 2144, 2166, 2344, 2366




**JOHN DEERE**  
**PART NUMBER:** WN-AH106772  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 52.87" x 60.91"  
**APPLICATIONS:** 770, 7701, 7720 s/n -610500, 7721 s/n -610600, 7722 s/n -610500




**JOHN DEERE**  
**PART NUMBER:** WN-AH130380  
**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 42.01" x 66.88"  
**APPLICATIONS:** 6620 s/n 610301- Titan II, 6622 s/n 610401-



**JOHN DEERE****PART NUMBER:** WN-AH130381**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 52.87" x 66.88"  
**APPLICATIONS:** 7720 s/n 610501-, 7721 s/n 610601-, 7722 s/n 610501-**JOHN DEERE****PART NUMBER:** WN-AH130383**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 52.87" x 66.88"  
**APPLICATIONS:** 7720 s/n 610501-, 7721 s/n 610601-, 7722 s/n 610601-, 7722 s/n 610501**JOHN DEERE****PART NUMBER:** WN-AH130384**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 63.73" x 67.62"  
**APPLICATIONS:** 8820 Titan II s/n 610701-**JOHN DEERE****PART NUMBER:** WN-AH130387**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Spacing  
**APPLICATIONS:** 6620 s/n 610301-, 6622 s/n 610401-**JOHN DEERE****PART NUMBER:** WN-AH130389**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Spacing, 52.72" x 52.43"  
**APPLICATIONS:** 7720 s/n 610501-, 7721 s/n 620301-**JOHN DEERE****PART NUMBER:** WN-AH130391**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Spacing, 63.58" x 52.95"  
**APPLICATIONS:** 8820 s/n 610701-**JOHN DEERE****PART NUMBER:** WN-AH172941**FEATURES:** Chaffer, Top Sieve, Adjustable, For Precleaner, Short Finger, 1-1/8" Wire Spacing  
**APPLICATIONS:** 9600, 9610, 9650, 9660**JOHN DEERE****PART NUMBER:** WN-AH172949**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 25.67" x 35.71"  
**APPLICATIONS:** CTS, CTS II, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9560CTS, 9660CTS**JOHN DEERE****PART NUMBER:** WN-AH172950**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing  
**APPLICATIONS:** 9600, 9610, 9650, 9660**JOHN DEERE****PART NUMBER:** WN-AH172951**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing  
**APPLICATIONS:** CTS, 9400, 9410, 9450, 9500, 9500SH, 9501, 9510, 9510SH, 9550, 9550SH, 9560, 9560SH, 9660CTS**JOHN DEERE****PART NUMBER:** WN-AH211936**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1 1/8" Spacing, 51.87" x 63.25", Manual Adjust  
**APPLICATIONS:** 9650STS, 9750STS, 9660STS, 9760STS, 9670STS, 9770STS**JOHN DEERE****PART NUMBER:** WN-AH211944**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Wire Spacing, 51.87" X 54.75" Manual Adj  
**APPLICATIONS:** 9650STS, 9660STS, 9670STS, 9750STS, 9750STS, 9770STS, All General Purpose**JOHN DEERE****PART NUMBER:** WN-AH212239**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Spacing, 51.87" x 63.25, Touchset  
**APPLICATIONS:** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS**JOHN DEERE****PART NUMBER:** WN-AH212245**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1 5/8" Spacing, Touch Set Adjuster, 51.87"x63.25"  
**APPLICATIONS:** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS, 9860STS, 9870STS**JOHN DEERE****PART NUMBER:** WN-AH212248**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1 5/8" Spacing, Manual Adjust  
**APPLICATIONS:** 9650STS, 9660STS, 9670STS, 9750STS, 9760STS, 9770STS**JOHN DEERE****PART NUMBER:** WN-AH212255**FEATURES:** Sieve, Bottom, General Purpose Tooth  
**APPLICATIONS:** 9560STS, 9570STS**Quality Parts When YOU Need Them****800-247-1237****PARTS-EXP.COM**

\*For a complete list of parts visit our website

**JOHN DEERE****PART NUMBER:** WN-AH212260**FEATURES:** Chaffer, Top, Deep Tooth  
**APPLICATIONS:** 9560STS, 9570STS**JOHN DEERE****PART NUMBER:** WN-AH85352**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Spacing, 41.87" x 46.05"  
**APPLICATIONS:** 6600, 6601, 6602, 6620 s/n -610300, 6622 s/n -610400**JOHN DEERE****PART NUMBER:** WN-AH96770**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 63.73" x 61.65"  
**APPLICATIONS:** 8820 s/n -610700**JOHN DEERE****PART NUMBER:** WN-AH96771**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1 1/8" Spacing, 52.72" x 46.83"  
**APPLICATIONS:** 7700, 7701, 7720 s/n -610500, 7721 s/n -610600**JOHN DEERE****PART NUMBER:** WN-AH96772**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1-1/8" Spacing, 63.58" x 46.83"  
**APPLICATIONS:** 8820 s/n -610700**JOHN DEERE****PART NUMBER:** WN-AH97998**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 63.73" x 61.65"  
**APPLICATIONS:** 8820 s/n -610700**JOHN DEERE****PART NUMBER:** WN-AH99748**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1-1/8" Wire Spacing, 42.01" x 60.76"  
**APPLICATIONS:** 6600, 6601, 6602, 6620 s/n -610300, 6622 s/n -610400**JOHN DEERE****PART NUMBER:** WN-AH99750**FEATURES:** Chaffer, Top Sieve, Adjustable, Long Finger, 1-5/8" Wire Spacing, 42.01" x 60.76"  
**APPLICATIONS:** 6600, 6601, 6602, 6620 s/n -610300, 6621, 6622 s/n -610400**MISCELLANEOUS****PART NUMBER:** WN-87109817**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, Pre Cleaner  
**APPLICATIONS:** **CI:** AFX8010 s/n -HAJ105126, AFX8010 s/n HAJ105126-, 8010, 8120, 9120; **NH:** CR9070, CR970, CR980, CX8060, CX8070, CX8080, CX8090, CX820, CX840, CX860, CX880**MISCELLANEOUS****PART NUMBER:** WN-87109828**FEATURES:** Sieve, Upper, 1 1/8" Spacing, Short Finger  
**APPLICATIONS:** CIH, NH**MISCELLANEOUS****PART NUMBER:** WN-87109830**FEATURES:** Chaffer, Top Sieve, Adjustable, Short Finger, 1 1/8" Spacing  
**APPLICATIONS:** **CI:** AFX8010, 8010, 8120, 9120; **NH:** CR9070, CR970, CR980, (CX8070, CX8080, CX8090, All s/n D600-)**MISCELLANEOUS****PART NUMBER:** WN-87109836**FEATURES:** Sieve, Upper, 1 5/8" Spacing  
**APPLICATIONS:** CI, NH**MISCELLANEOUS****PART NUMBER:** WN-87109838**FEATURES:** Sieve, Upper, 1 5/8" Spacing, Short Finger  
**APPLICATIONS:** CI, NH**MISCELLANEOUS****PART NUMBER:** WN-87109844**FEATURES:** Sieve, Lower, 1 1/8" Spacing  
**APPLICATIONS:** CI, NH**MISCELLANEOUS****PART NUMBER:** WN-87109846**FEATURES:** Sieve, Bottom, Adjustable, Blunt Finger, 1 1/8" Spacing  
**APPLICATIONS:** **CI:** AFX8010, 8010, 8120, 9120; **NH:** CR9070, CR970, CR980, CX8060, CX8070, CX8080, CX8090, CX820, CX840, CX860, CX880**Quality Parts When YOU Need Them****800-247-1237****PARTS-EXP.COM**

\*For a complete list of parts visit our website